MUSHKINA, N.A.; KASIMOVA, T.S.

Changes in the electric activity of the cerebral cortex and of some specific and reticular formations of various brain levels during stimulation of extero- and interoceptors in X-ray irradiated rabbits. Vop. fiziol. 6:52-71 163.

(MIRA 17:11)

#### KASIMOVA, V.B.

Influence of atimulation of the receptors of the carotid sinus on body reactivity following the preliminary use of large and small doses of antireticular cytotoxic serum. Azerb. med. zhur. no. 2:22-26 F '61. (MIRA 14:2)

1. Iz kafedry patofiziologii (zav. - prof. T.G. Pashayev)
Azerbaydzhanskogo meditsinskogo instituta im. N.Narimanova
(direktor - zasluzhennyy deyatel' nauki, prof. B.A. Eyvazov).

(RECEPTORS (NEUROLOGY))

(ANTIRETICULAR CYTOTOXIC SERUM)

# KASIMOVSKAYA, H.N.

Processing whole dry mint plants in continuous Revazov Moskalev units. Masl.-shir.prom. 26 no.6:40-42 Je '60.
(MIRA 13:6)

l. Ukrainskaya zonal naya opytno-selektsionnaya stantsiya Vsesoyuznogo nauchno-issledovatel skogo instituta maslichnykh i efiromaslichnykh kul'tur. (Mint) (Oils and fats)

[14] 被問題問題的特別可以與學問題的「常知問題」「不知問題」

KASIMOVSKAYA, N.N.; KRYS'KOV, Ye.I.; LYSENKO, A.A., kand. ekonom. nauk; SHKURAT, D.F.

> Efficiency of processing mint as whole dry plants, Masl.-(MIRA 16:7) zhir. prom. 29 no.5:22-23 My 163.

1. Ukrainskaya opytnaya stantsiya Vsesoyuznogo nauchno-issledovatel'skogo instituta maslichnykh i efiromaslichnykh kul'tur. (Mint(Botany)) (Essences and essential oils)

KASIMOVSKIY, E.

Sotzialisticheskaya industrilizatsia spasla nashu rodinu proabosheheniia, Moskva, Ogiz-Gospolizdat, 1947.

Title translared: Socialist industrialization saved our fatherland from enslavement.

On the contribution of industrilization to the winning of the war and plans for the future.

KASIMOVSKIY, Ye.

Sotzialisticheskaya industrializatsia spasla nashu rodinu poraboshcheniya: (Socialist industrialization saved our fatherland from enslavement), Moskva, Ogiz-Gospolizdat, 1947,64p.

"On the contribution of industrialization to the winning of the war and plans for the future."

- 1. KASIMOVSKIY, Ye
- 2. USSR (600)
- 4. Russia Economic Conditions
- 7. Program of peace and creation. Sov zehn, no. 6. 1952.

9. Monthly List of Russian Accessions, Library of Congress, February 1953, Unclassified.


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

KASIMOVSKIY, Ye

Rezhim Ekonomii-Vazhneyshiy Rychag Podlyema Narodnogo Khozyaystva SSSR (A system of Economizing is a Most Important Leger For Expanding the National Economy of the Soviet Union. Moskva) Gospolitizdat, 195k. 103 P. Bibliographical Footnotes.

so: N/5 782

.K19




KASIMOVSKIY KASIMOVSKIY, Ye. Ways to improve accounting for labor and wages in industry. Sots. trud no.12:57-66 D '57. (MIRA 11: (MIRA 11:1) (Accounting)

KASIMOVSKIY, Yevgeniy Vasil'yevich; DUBROVSKIY, Yu.N., red.; SAVCHENKO, Ye.V., tekhn.red.

[Seven-year plan in operation] Semiletka v deistvii. Moskva,
Izd-vo "Znanie." 1961. 45 p. (Vsesoiuznoe obshchestvo po rasprostraneniiu politicheskikh i nauchnykh znanii. Ser.3. Ekonomika.
no.4)

(MIRA 14:2)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"



· 提供確定實際部。2018年19日1日

BUDOVOY, G.T.; MARTINKOV, I.P.; SHKOL'HIKOV, B.YA.; GRIGOR'YEV, Ye.A.; SOLOMIN, V.V.; REZNIK, A.I.; IGNATOVICH, A.A.; OZOGHOV, A.K.; GILINSKOY, E.B.; ZHIRNOV, V.Ye.; NEMENSKIY, M.I.; VOLKOV, H.I., red.; VOSKANYAN, G.G., red.; KASIMOVSKIY, Ye.V., red.; FOMIN, A.Ya., red.; LISOV, V.Ye., red.; PONOMAREVA, A.A., tekhn. red.

[The district worker's manual; reference and methodological aid for economic and cultural planning in an administrative district] Spravochnik raionnogo rabotnika; spravochno-metodicheskoe posobie po planirovaniiu khoziaistvennogo i kul'turnogo stroitel'stva v administrativnom raione. Moskva, Ekonomizdat, 1962. 439 p. (MIRA 15:7)

(Russia---Economic policy---Handbooks, manuals, etc.)

KASIMTSEV, A.S. (Karabanova, Vladimirskoy oblasti, ul. Mira, d.10,

Surgical treatment of closed injuries to the liver. Vest. khir. no.5:102-104 '62. (MIRA 15:11)

1. Iz khirurgicheskogo otdeleniya (zav. - A.S. Kasimtsev)
Karabanovskoy meditsinskoy sanitarnoy chasti (gl. vrach G.A. Fedorov) Aleksandrovskogo rayona, Vladimirskoy oblasti.
(LIVER-MOUNDS AND INJURIES)

KASIMTSEV, A.S. (Karabanovo, Vladimirskoy oblasti, ul. Mira, 10, kv.9); KOKHTOV, V.K.

Excision of pheochromocytoma in a small surgical ward. Vest. khir. 92 no.6:125-127 Je '64. (MIRA 18:5)

1. Iz khirurgicheskogo otdeleniya (zav. - A.S. Kasimtsev) Karabanovskoy mediko-sanitarnoy chasti (glavnyy vrach - G.A. Fedorov) Vladimirskoy oblasti.

Gavrilov, M. I., Sannikov, M. I., <u>Kasimtsev, G. M.</u> (Et al.) "Results of the preliminary study of the contemporary condition of mongrel sheep reeding in north Caucasus and the Lower Volga," Sbornik nauch. rabot (Vsesoyuz. nauch.-issled. in-t ovtsevedstba i kozovodstba), Issue 17, 1948, p. 3-35, - Bibliog: 8 items

50; U-4355, 14 August 53, (Letopis 'Zhurnal 'nykh Statey, No. 15, 1949.)

ACC NR. AP7006036 SOURCE CODE: UR/C	410/66/000/004/0019/0027
AUTHOR: Gusoynov, Kh. F. (Baku); Kasim-Zado, M. S. (Baku)	
"Transient Processes in Electrokinetic Seismo Receivers"	
Novosibirsk, Avtometriya (Automatic Measurements), No 4, 1966	6, pp 19-27.
Abstract: The article analyzes transients which occur in set In particular, the electrokinetic type of instrument is construe waves are converted into voltage. An equation for such as function of time and as function of frequency is derived. acteristic parameters have been established for various type tions, it is shown that the transient time is very short; the electro-kinetic seismo receiver is aperiodic and its attenua basically by the mechanical time constant. When $\omega \mathcal{L} \gg 1$ , to transmitted through the instrument without distortion. In fix time here is by approximately two orders of magnitude smaller (barium titanate) type seismo receiver and, therefore, has a ving power than the latter. Orig. art. has: 1 figure, 32 fix JPRS: 39,548	ismic instruments. idered where pres- transient voltage After the char- s of input func- e transient in an ation is determined the input signal is act, the transient er than in a piezo- much higher resol-
ORG: none	
TOPIC TAGS: seismography, geophysic instrument	
SUB CODE: 08 / SUBM DATE: 04Nov65 / ORIG REF: 004	
Card 1/1 UDC:	621.253.17 09270823


# KASIM-ZADE, M.S.


Experimental investigation of a diaphragm-type electrokinetic converter. Izv.vys.ucheb.zav.; prib. 5 no.4:17-21 62.


1. Azerbaydzhanskiy institut nefti i khimii imeni M.Azizbekova. Rekomendovana kafedroy elektricheskikh izmereniy i vychislitel'noy tekhniki.


(Phase converters)

KASI	M-ZADE, M.		g the theory	of electrok	inetic con-		
	Some proverters	oblems concernin . Trudy ENIN AN	Azerb. SSR 15	;:103 <b>–</b> 121 (M	11RA 15:10)		
		(Transducers)	(Electric me	asurements)	)		









KASIMMADE, M.S.; KHALILOV, N.F.; GUREYNOV, Ab.F.

Electrokinetic transformers on low and infratow frequencies. Izv. AN Azerb. SSR. Ser. fiz.-tekh. 1 man. nauk . 10.2:77-104 165. (MIRA 18:8)

KASIN, V., SAMARIN, A.M.

"Die entschwefelung von flussigem nickel im vakuum."


Report submitted to the 11th Congress on "ining and Metallurgy, Freiberg, GDR 13-16 june 1962

# KASINA, Stanislaw

Case of cystic lymphangioma of the mesentery of the small intestine. Polski przegl. chir. 28 no.5:533-555 May 56.

1. Z IV Oddzialu Chirurgicznego Szpitala Miejskiego Nr 4 Ordynator: dr. med. W. Kaminski, Warszawa, ul. Swierczewskiego 47/104.

(MESENTERIES, neoplasms, lymphangioma, cystic (Pol)) (LYMPHANGIOMA, mesenteries (Pol))




KASINA, Vlastimil, inz.

Simplification of railroad nets by cooperation of works sidings with the Czechoslovak Railroads. Zelez dop tech 11 no.1:19-20 '63.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"


KASINA, Vlastimil, inz.


Methods of ensuring smooth unloading of frozen loose materials abroad. Zel dop tech 11 no.9:273-276 \*63.




Wasina, Vladistimil, inz.

Unloading loose materials in winter. Zel dop tech 12 no.1:22-23 '64.







KASINA, Vlastimil, inz.

General plans of metallurgical plants. Hut listy 19 no.7: 457-465 Jl \*64

1. Hutni projekt, Prague.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

# Treatment of perforated gastroduodenal ulcers with Taylor's method. Polski tygod. lek. 13 no.29:1107-1110 21 July 58.

1. Z IV Oddzialu Chirurgicznego Szpitala Miejskiego Nr 4 w Warszawie: ordynator: dr med. W. Kaminski.


(PEPTIC UICER, perf. ther., Taylor's method (Pol))

KASINOV, B.N., inzh.; KOKIN, V.D., inzh.; MIKHAYLOV, V.F., inzh.

D-543 universal single-bucket frontal loader. Stroi. i dor. mash. 8 no.ll:4-6 N \*63. (MIRA 17:1)

EWT(d)/EWP(h)/EWP(1) L 2815-66 (A) UR/0286/65/000/013/0124/0124 ACCESSION NR: AP5021638 621.869.462 AUTHOR: Kasinov, B. N. TITLE: Lever loader mechanism. | Class 81, No. 172678 व SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 13, 1965, 124 TOPIC TAGS: hoisting equipment, hydraulic equipment ABSTRACT: This Author Certificate presents a lever loader mechanism including an arm (which swings in the vertical plane under the action of a hydraulic lift mechanism) with a hinged scoop and a mechanism for rotating it. To decrease the force depressing the scoop lowered freely on the ground with the forward motion of the loader, the arm lift mechanism is in the form of a lever hinged at one end to the arm (see Fig. 1 on the Enclosure). The lever can be forcibly rotated by a hydraulic cylinder about the coupling point to the frame and a shaft at the other end. The lever and shaft are oriented to each other at such an angle that the intersection point of their longitudinal axes is located at a height near the cutting edge of the scoop. The position of this point can be changed in height by a control device, (to which the shaft is hinged) fastened to the frame. To 1/3 Card

CCESSION NR: AP5021638						-
liminate the effect of co he motion of the free end s in the form of a movabl anually by, for example, s in the plane of the arm xis corresponding to the iagram.	i of the arm te slide type a screw or a swing and	during load e unit which a servomeche perpendicule	ling operator is moved anism. The ar to the d	ions, the crelative to motion of irection of	ontrol device the frame the slide the shaft	8
SSOCIATION: none						
UBMITTED: 14Feb63	PIC:	L: 01		SUB CODE:	TR	
				DOD TODDI		
	отн	₹R'• 000				
o ref sov: 000	<b>OTH</b> 1	ER's 000				
	OTH	ER & 000				



Growth and differentiation in the development of the rear end regenerate in Oligochaeta. Report No.2: Quantitative analysis of the differentiation process of dorsal setae in regenerates of Dero digitata (Müll.). Nauch. dokl. vys. shkoly; biol. nauki no.4:12-16 '64. (MIRA 17:12)

1. Rekomendovana kafedroy fiziologii cheloveka i zhivotnykh Rostovskogo gosudarstvennogo universiteta.

Growth and differentiation in the development of the posterior regenerate in Uligorhaeta. Report No.1: Measurement of the growth rate of the regenerate. Nauch. dokl. vys. shkoly; biol. nauki no.2:15-18 64. (MIRA 17:5)


l. Rekomendovana kafedroy fiziologii cheloveka i zhivotnykh Rostovskogo-na Donu gosudarstvennogo universiteta.

Transport of India ink particles into regeneration blastema in oligochaetes as related to the problem of neoblast migration.

Nauch.dokl. vys. shkoly; biol. nauki no.4:11-12 \*63.

(MIRA 16:11)

1. Rekomendovana kafedroy fiziologii cheloveka i zhivotnych Rostovskogo-na-Donu gosudarstvennogo universiteta.



Linear growth of zooids in asexual reproduction of some oligochaetes. Dokl. AN SSSR 143 no.4:937-990 Ap '62. (MIRA 15:3)

1. Institut tsitologii AN SSSR. Predstavleno akademikom Ye.N.Pavlovskim. (OLIGOCHAETA) (FISSION (BIGLOGY)) (GROWTH)

KASINOV, V.B.

Morphology of the neoblasts and their changes in the regeneration of lower oligochaetes. Sbor. rab. Inst. tsit. no.5:64-83 '63.

1. Laboratoriya morfologii kletki Instituta tsitologii AN SSSR.

77.

50000

Relation of the volume and rate of regeneration to the size of the regenerate in the eligochaete Dero digitata. Dokl. AN SSSR 149 no.4:985-987 Ap '63. (MIRA 16:3)

1. Institut tsitologii AN SSSR. Predstavleno akademikom Ye.N.
Pavlovskim. (OLIGOCHAETA) (REGENERATION (BIOLOGY))

KASINOVA, G.V.

Sensitivity to X rays of green and colorless cells of Euglena gracilis Klebs. Radiobiologiia 4 no.4:603-606 '64. (MIRA 17:11)

1. Institut tsitologii AN SSSR, Leningrad.

ZAAR, E.I.; KASINOVA, G.V.

Effect of some physical and chemical agents on the resynthesis of chlorophyll in the colorless cells of Euglena gracilis Klebs. Bot. zhur. 48 no.6:896-898 Je 163. (MIRA 17:1)

1. Betanicheskiy institut imeni V.L. Komarova AN SSSR, Leningrad.


APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

# KASINOVA, G.V.

Effect of X-rays on the dynamics of the cell quantity of green and colorless strains of Euglena gracilis. TSitologiia 5 no.6:692-693 N-D '63. (MIRA 17:10)

1. Laboratoriya kosmicheskoy biologii Instituta tsitologii AN SSSR, Leningrad.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"



### "APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020018-0

Masinova, N. Ye.

DRAGUROV, A.M.: KASIROVA, H. Ye.; MOROZOVA, I.I., redaktor; TARASEBKO, Z.K., tekhnicheskiy redaktor

[Fishes of the Azov-Black Sea Basin as a source of vitamin A.]

Ryby Azovsko-Chernomorskogo basesina kak istochnik vitamina A.

Hoskva, Pishchepromizdat, 1951. 32 p.

(Black Sea region--Fishes) (Vitamins--A)

# KASINOVA, N.Ye.

Mineral content of fish. Vop. pit. 20 no. 1:74-77 Ja-F '61. (MIRA 14:2)

1. Iz tekhnologicheskoy laboratorii (zav. G.K. Koval'chuk) Azovskogo otdeleniya Vsesoyuznogo nauchno-issledovatel'skogo instituta morskogo rybnogo khozyaystva i okeanografii, Rostov-na-Domu.

(MINERALS IN FOOD) (FISH AS FOOD)

**长月秋,苏藤** 

BRAUN, Ryszard; KASINSKI, Leszek

A proposed method of measuring the total cross-sections of some light elements for 4 MEV Neutrons. Nauki matem przyrod Lodz no.9:5-22 '61

1. Katedra Fizyki Doswiadczalnej, Uniwersytet, Lodz

NIEDZWIEDZIUK, Kazimierz; KASINSKI, Leszek; MALECKI, Henryk

Scattering of protons in the tube of an electrostatic accellerator. Nauki matem przyrod Lodz no.9:23-39 '61.

1. Katedra Fizyki Doswiadczalnej, Uniwersytet, Lodz.

P/2538/61/000/009/0005/0022

AUTHOR: Braun, Ryszard (Braun, Rishard); Kasinski, Leszek (Kasin'ski, Leshek)

TITLE: Project for the measurement of the total effective cross-section in the interaction of neutrons having an energy of 14 Mev with certain light elements

SCURCE: Lodz. Uniwersytet. Zeszyty naukowe. Seria II. Nauki matematycznoprzyrodnicze, no. 9, 1961, Projektowanie i budowa akceleratora jonowego (Design and construction of an ion accelerator), 5-22

TOPIC TAGS: total effective cross-section, neutron interaction, light element deutron accelerator, nucleon bond, d-T reaction, low-energy deuteron, optimum thickness

ABSTRACT: The Experimental Plant of Lodz University was prompted to build a deuteron accelerator by the fact that neutrons with an energy exceeding that of the nucleon bond in the nucleus are relatively easy to obtain, e.g. by the d-T reaction, an abundant source of monoenergetic neutrons with 14 Mev energy even when the incident deuterons have low energy. The accelerator is to be used mainly to make fast neutrons from a tritium target. It will be powered by a 600 ky

Card 1/2

cascade generator. As a relatively simple and still timely first test for comparison with the results obtained by others (summarized in table 1), the authors chose the measurement of the total effective cross-section of certain light elements in interaction with neutrons. They review the results obtained thus far, describe the elements of the experimental setup, discuss the optimum thickness of the sample and time of measurement, calculate the total effective cross-section and discuss the errors. "In concluding this brief description of the experiment project, we thank Dr. A. Zawadzki for reading through it and indicating the points for discussion opened in the paper. We likewise thank all the colleagues of our group who assisted in treating and discussing the subject." Orig. art. has: 11 figures, 3 tables and 17 formulas.

ASSOCIATION: Katedra Fizyki Doswiadczalnej Uniwersytetu Lodzkiego, Lodz (Chair of Experimental Physics of Lodz University)

SUBMITTED: 00

DATE ACQ: 18Jun64

ENCL: 00

SUB CODE: NP

NO REF SOV: 002

OTHER: 016

Card 2/2

P/2538/61/000/009/0023/0039

AUTHOR: Micdzwiedziuk, Kazimierz (Nedvedyuk, Kazimezh); Kasinski, Leszek (Kasin'ski, Leshek); Malecki, Henryk (Maletski, Genrik)

TITLE: Proton scattering in the tube of an electrostatic accelerator

SCURCE: Lodz. Uniwersytet. Zeszyty naukowe. Seria II. Nauki matematycznoprzyrodnicze, no. 9, 1961. Projektowanie i budowa akceleratora jonowego (Dosign and construction of an ion accelerator), 23-39

TOPIC TAGS: electrostatic accelerator, proton scattering, accelerating tube, hydrogen nuclei, air-atom nuclei, voltage, ion extraction, gaseous residue, pumping system, gas pressure

ABSTRACT: The proper functioning of an electrostatic accelerator of positive ions or electrons depends, among other things, upon the pressure prevailing in it and the state of the inner surface of the vacuum system. The article evaluates the most favorable conditions with regard to the scattering of accelerated particles, which depends upon the working pressure prevailing in the tube, the voltage applied to the accelerating tube, the voltage of the extracting source of ions

Card 1/3

and the composition of the gaseous residue in the tube. It discusses these problems in connection with the building of an accelerator of protons, deuterons and electrons to 600 kev in the Plant (Zaklad) of Experimental Physics of Lodz University. Its evaluation is for protons, but can be made analogously for deuterons. The bulk of the article deals with the evaluation of the losses of the proton beam on a) hydrogen nuclei, b) air-atom nuclei. Losses diminish when:

a) the gas pressure in the tube is lowered, b) the extracting valtage of the ion source increases, c) the total voltage applied to the tube is raised (so far as possible with a view to electric stability or the conditions of the experiment), d) the percentage of air in the tube is reduced. Especially heavy losses occur in the immediate vicinity of the ion source. The results have been applied in designing the tube and pumping system of the 600 kev accelerator built by the University's Physics Laboratory. "We express our thanks to Professor Dr. T. Musiatowicz for the assistance lent in proparing the present paper." Orig. art. has: 7 figures, 16 formulas.

ASSOCIATION: Katedra Fizyki Doswiadczalnoj Uniwersytetu Lodzkiego (Chair of Experimental Physics of Lodz University)

Card 2/3

APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020018-

Card 3/3

KASINSKI, J.; ZIEMBA, S.

Application of the magnetic method for the determination, in models, of the limit load of statically undeterminable steel systems. p. 72. The technological education of the Polish population. p. 78.

POMIARY, AUTOMATYKA, KONTROLA. Warszawa, Poland. Vol. 5, no. 2, Feb. 1959.

Monthly List of East Eurorean Accessions (EEAI), LC, Vol.8, no. 8, Aug. 1959. Uncl.

20 年末 出版報告の保持書中の名字語の数字書店は40m (報数 20 mm) となった。		经债据条
1-10.110-1	• • •	
KASINSKI, TERZY	in the second se	
	<u>e</u>	
	£ .	
Symposium on Electroacoustic Transducers POL/5981		
36. Underwater piezoelectric electroacoustic transducer with a		٤.
flat frequency response from 100 Hz to 100 kHz. Zygmunt Nagiello	353	<b>*</b> -
37. Splitting of ultrasonic pulse in magnotostrictive trans- ducers fed by overvolting systems. Jerzy K. Skrzela	361	
38. Calibration exciter for checking acceleremeters. Per V. Bruel	375	
39. Calibrator for phonograph pickups. Zygaunt Komornicki	379	
<ol> <li>Non-reflecting piezoelectric probe and equipment for measur- ing ultrasonic field intensities in fluids. J. Karpinski and</li> </ol>	385	
41. Investigation of the bases of ultrasonic generation in a		
flow-type equipment. <u>Releaslaw Lesniak</u> 42. Ultrasonic hydrogenerators. <u>C. Wachtl</u> , A. Sigalin, and	393	- :
E. Karczmarczyk  Al. Particular case of mechanoelectric transducer applied to	401	
steel construction testing. Stefan Ziemba and Jerzy Kasinski	405	
Card 7/g	/ hald dw	<b>.</b>
Source: Proceedings of the Symposium on Electroacoustic Tr Krynica, 17-26 September, 1958. Warsaw, Panstwowe Wydawnic	two Naukowe, 1961	
krynica, 17-20 September, 1750. Marsun, Idio Sinon Julia Hull p.		
tite be	•	
en e		
	•	# 1
	The second secon	

Magnetic stress measurements. Pomiary 7 no.11:467-470 '61.

(Strains and stresses) (Magnetic measurements)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

KASINSKI, Jerzy, dr inz. (Warszawa)

Magnetic methods of research on the stresses in the subsurface layer. Przegl mech 21 no.15:471-473 10 Ag '62.

KASTHSKI, Jerzy, dr inz.

Electric analog for the plastic method of moments compensation. Inz i bud 21 no.2:67-72 F 164.

1. Institute of Construction Engineering, Warsaw.

KASINSKI, Kazimierz, mgr.inz.

Problems concerning the perfection of managing cadres in national economy in the United States. Przegl techn 79 no.5:182-185 Mr 158.

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

# "APPROVED FOR RELEASE: 06/13/2000

CIA-RDP86-00513R000721020018-0

KASINSKI, Kazimierz, mgr. inz.

An international conference of the countries belonging to the Council of Mutual Economic Assistance. Przegl techn no.26:4. Il 162.

KASINSKI, K.

The importance of the quality of packing for the development of the Polish export of fruit juices and juice concentrates. Przem ferment 5 no.7:200-204 Jl '62.

#### KASINSKI, L.

Some physical problems connected with artificial earth satellites. p. 463 POSTEPY FIZYKI. (Polskie Towarzystwo Fizyczne) Warszawa, Poland Vol. 10, no. 4, 1959

Monthly List of East European Accessions (EEAI) LC, Vol. 9, no. 2, Feb. 1960.

(Incl.

H

M. KASINSKI

POLAND/Chemical Technology. Chemical Products

and Their Applications. Industrial

Organic Synthesis.

Abs Jour: Ref Zhur-Khimiya, No 6, 1959, 20397

: Chrzaszczewski, J., Kasinski, M., Wronski, M. Author

Inst

Title

: A New Method for Obtaining Sulfophthalein

Indicators.

Orig Pub : Przem. chem., 1956, 12, No 11, 647

Abstract: The existing methods for the obtaining of

sulfornthalein indicators (SI) are based proncipally on the condensation of the anhydrite of 0-sulfobenzoic acid (I) with the corresponding phenol (P), are noted for duration, and give a yield of 20-30 percent,

: 1/3 Card


POLAND/Chemical Technology. Chemical Products and Their Applications. Industrial Organic Synthesis.

Abs Jour: Ref Zhur-Khimiya, No 6, 1959, 20397

on the basis of the NH4 salt of I. A method of direct condensation of the NH4 salt of I with the corresponding P in the presence of P<sub>2</sub>05 is proposed. Dry pulverized NH<sub>4</sub> salt of I is mixed with P<sub>2</sub>05 in a gram-molecular ratio of 1:1 and the mixture is heated; then, for 1 hour, while being continuously blended, P and P<sub>2</sub>05 are added in a gram-molecular ratio of I:1.5. Duration of condensation at 130-140° was less than four hours. Unreacted P was distilled with an aqueous vapor. By this method, thymole an aqueous vapor. By this method, thymol-sulfonephthalein was obtained with an field

: 2/3 Card

H-64



ACC NR: AR6025350

UR/0269/66/000/004/0064/0064 SOURCE CODE:

TITLE: On the law of darkening of the light rings of sunspots toward the disk edge

SOURCE: Ref. zh. Astronomiya, Abs. 4.51.484

REF. SOURCE: Solnechnyye dannyye, no. 12, 1964 (1965), 54-62

TOPIC TAGS: and the sum of the su

ABSTRACT: With the aid of instrument AFR-3 in Irkutsk (IMIS), photoheliograms of 40 sunspots were obtained and the curve of bright rings darkening toward the edge of the Sun obtained. Observation of the curve shows that the contrast of the ring increases to Sin  $\theta$  =.455, and then slowly recedes toward the edge of the disk. It follows that on the ring the jump of temperature increases with depth and that maximum overheating corresponds to large depths, in contradistinction to flares. It is noted that the obtained contrast magnitudes at the disk center agree with the data of other authors. Using a model with a ring comprised of granules and a layer with a temperature jump at some depth, the author concludes that; up to a depth of Tol.5, there is a weak heating.  $T < 80^{\circ}$ ; at depths with T over 1.5,  $500^{\circ} < T < 725^{\circ}$ . It is noted and shown that if one adopts as a model of temperature increase in the ring the dissipation of the king. netic energy of the gas leaving the sunspot with the Evershed effect velocity, - the values of temperatures observed agree well with calculations. Translation of abstract.

SUB CODE: 03 Card 1/1

L 15760-66 ENT(1) GN

AR6028400

SOURCE CODE: UR/0269/66/000/005/0050/0051

AUTHOR: Kasinskiy, V. V.

47

TITLE: Possible mechanisms of heating of light rings

R

SOURCE: Ref. zh. Astronomiya, Abs. 5.51.401

REF SOURCE: Solnechnyye dannyye, no. 5, 1965, 58-62


TOPIC TAGS: sunspot, magnetohydrodyanmic wave, gravitation wave,

kinetic energy

ABSTRACT: Various mechanisms for the heat of light rings around sunspots are examined. In the mechanism proposed by P. A. Suret, heating takes place by a convective flow of energy diverging around the spots. According to the mechanism proposed by T. D. Kinman, heating occurs at the expense of the radiant energy lying below the layers. It is shown that these mechanisms cannot explain a series of phenomena. The stationary dissipation of the Evershed flow kinetic energy has been examined as a possible mechanism. It is shown that this mechanism increases the possible heating of the ring by 100 and more degrees.

Card 1/2

UDC: 523, 746



## FIALA, S.; KASINSKY, E.

Carcinogenesis and adaptive enzyme formation. Neoplasma 10 no.2: 159-166 163.

1. Department of Pathology, Columbia University, New York, N.Y., U.S.A.

(NEOPLASMS, EXPERIMENTAL) (OXIDASES) (METABOLISM)


#Evolution of Concepts on the Origin of Outwash Valleys," P. 24
(CZASOPISMO GEOGRAFICZNE, Vol. 23/24, 1952/53, Wroclaw, Poland.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3,
No. 12, Dec. 1954, Uncl.

KASIRSKICH, V. A.

"Sur la formation de composes humiques dans l'hydrolyse acide de matieres proteiques". Kasirskich, V. A. (p. 1495)

SO: Journal of General Chemistry (Zhurnal Obshchei Khimii) 1940, Volume 10, no. 16.



## KASISHCHEV, I.

Device for creating a vacuum when testing welded seams. Promstroi.i inzh.soor. 4 no.5:50-51 S-0 '62. (MIRA 16:1) (MIRA 16:1)

1. Trest "Dneprostal'konstruktsiya".
(Welding—Testing) (Vacuum apparatus)

## KASISHCHEV, I.

Lifting capacity controller on the BK-406 tower cranes. Prom. stroi. i inzh. soor. 5 no.2153-54 Mr-Ap \*63. (MIRA 16:4) (Cranes, derricks, etc.—Safety appliances)

## KASISHCHEV, I.

Self-gripping device for testing coolers. Prom.stroi.i inzh. soor. 4 no.5:51 S-0 '62. (MIRA 16:1)

1. Trest "Dneprostal konstruktsiya".
(Blast furnaces—Cooling)


KASITSKI, I.


Intrafactory planning and the technical, industrial, and financial plan of the enterprise. p. 13.

TEZHKA PROMISHLENOST. Vol. 5, no. 5, 1956

Sofiia, Bulgaria

SOURCE: East European Accessions List (EEAL) Library of Congress, Vol. 6, No. 1, January 1957





# KASITSKIY, I YA.

Balans mashinostroitel'nogo zavoda. Moskva, Mashgiz, 1950. 141 p.

Balance of a machine-building plant.

DLC: HF5681.B2K3

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

## KASITSKIY, I.Ya.

[Machine building plant organizational-technical plan; basic methodological question in the planning of organizational-technical measures] Orgtekhplan mashinostroitel'nogo zavoda; osnovnye voprosy metodiki planirovaniia organizatsionno-tekhnicheskikh meropriiatii. Moskva, Gos.nauchno-tekhn.izd-vo mazatsionno-tekhnicheskikh meropriiatii. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1953. 198 p. (Machinery industry)

KASITSKIY, Il'ya Yakovlevich; LYSYY, A.Ya., redaktor; RAKOV, S.I., tekhnicheskiy redaktor

[Potentials of industrial enterprises] Reservy promyshlennogo predpriiatiia. Izd-vo VTsSPS Profizdat, 1955. 110 p. (MIRA 9:1) (Russia--Industries)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

KASITSKIY, IL'YA YAKOVLEVICH

N/5 783.32 .Kl9

PUTI POVYSHENIYA PROIZVODITEL NOSTI TRUDA NA PROMYSHLENNYKH PREDPRIYATI-YAKH (WAYS OF INCREASING THE PRODUCTIVITY OF LABOR IN INDUSTRIAL ENTERPRISES)
MOSKVA, GOSPOLITIZDAT, 1956.

109 P. TABLE (V POMOSHCH: EKONOMICHESKOMU OBRAZOVANIYU)

## KASITSKIY, I.

More attention to problems of economics and organization of industrial production. NTO no.5:24-26 My '59. (MIRA 12:8)

1.Predsedatel' Komiteta Vsesoyuznogo soveta nauchno-tekhnicheskikh obshchestv ekonomike i organizatsii proizvodstva.

(Research, Industrial)

VORONKOV, Ivan Ivanovich; KONOVALOV, Viktor Nikolayevich; KASITSKIY, I.Ya., inzh., retsenzent; MAYDANCHIK, B.I., inzh., red.; DUGINA, N.A., tekkn.red.

[Management of a machinery plant] Upravlenie proizvodstvom mashinostroitel'nogo zavoda. Moskva. Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1960. 179 p.

(Industrial management)

(Industrial management)

KASITSKIY, Il'ya Yakovlevich; KANTER, A.I., red.; RAKITIN, I.T., tekhn. red.

[On the "industrial virgin land!"]0 "promyshlennoi tseline."

Moskva, Izd-vo "Znanie," 1962. 45 p. (Narodnyi universitet kul'tury: Tekhniko-ekonomicheskii fakul'tet, no.9)

(MIRA 15:9)
(Industrial management) (Technological innovations)

KASITSKIY, I.; MANEVICH, Ye.; ZVEREV, A.; KAPUSTIN, Ye.;

NEMCHINOV, V., akademik; VOROB'YEVA, A.; YEVSTAF'YEV, G.;

SHAKHURIN, A.; KOSYACHENKO, G.; PLOTNIKOV, K.; AL'TER, L.;

ROTSHTEYN, L.; SPIRIDONOVA, N.; MASLOVA, N.; RUSANOV, Ye.;

KAPITONOV. B.; KULIYEV. T.; GATOVSKIY, L.

Problems of the economic stimulation of enterprises.


Vop. ekon. no.11:87-142 N '62. (MIRA 15:11)

1. Komitet Vsesoyuznogo soveta nauchno-tekhnicheskikh obshchestv po ekonomike i organizatsii proizvodstva (for Kasitskiy). 2. Institut ekonomiki AN SSSR for Manivich, Zverev, Vorob'yeva, Yevstaf'yev, Shakhurin, Plotnikov, Maslova, Rusanov, Kapitonov). 3. Nauchno-issledovatel'skiy institut truda (for Kapustin).
4. Nauchno-issledovatel'skiy finansovyy institut (for Kosyachenko). 5. Nauchno-issledovatel'skiy ekonomicheskiy institut Gogudarstvennyy nauchno-ekonomicheskogo soveta Soveta Ministrov SSSR (for Al'ter).

(Continued on next card)

KASITSKIY, I .-- (continued) Card 2.

6. Gosudarstvennyy nauchno-ekonomicheskiy sovet Soveta Ministrov SSSR (for Rotshteyn). 7. Moskcvskiy gosudarstvennyy universitet (for Spiridonova). 8. Azerbaydzhanskiy gosudarstvennyy universitet imeni S.M. Kirova (for Kuliyev). 9. Predsedatel Nauchnogo soveta po khozyaystvennomu raschetu i material nomu stimulirovaniyu proizvodstva, chlen-korrespondent AN SSSR (for Gatovskiy). (Industrial management) (Incentives in industry)



Use of chemistry in agriculture. Biul.tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch.i tekh.inform. 17 no.1:26-30 '64. (MIRA 17:2)

APPROVED FOR RELEASE: 06/13/2000 CIA-RDP86-00513R000721020018-0"

ASYANIN, Petr Dmitriyevich, inzh.; KRUTOV, Vladimir Ivanovich, st. nauchn. sotr.; KASITSYNA, K.N., inzh., red.

[Compacting sagged grounds by rolling in making soil cushions] Uplotnenie prosadochnykh gruntov sposobom ukatki pri ustroistve gruntovykh podushek; opyt tresta "Nikopol'stroi." Moskva, Gosstroiizdat, 1963. 24 p. (MIRA 17:1)

1. Akademiya stroitel'stva i arkhitektury SSSR. Institut organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu. 2. Glavnyy inzhener tresta "Nikopol'stroy" (for Asyanin). 3. Nauchno-issledovatel'skiy institut csnovaniy i podzemnykh sooruzheniy Akademii stroitel'stva i arkhitektury SSSR (for Krutov).

AYZENBERG, Natan Markovich; KASITSYNA, K.N., inzh., red.

[Progressive practices in the distration of the BKSM-5-5A tower crane; experience of mechanics V.I.Subbotin and I.P.Taravkov] Peredovoi opyt raboty na bashennom krane BKSM-5-5A; opyt mashinistov V.I.Subbotina i I.P.Taravkova. Trest "Mosstroimekhanizatsiia-5" Glavmosstroia. Moskva, Gosstroiizdat, 1963. 16 p. (Novatory-stroiteli, no.911/III) (MIRA 17:1)

1. Nachal nik upravleniya mekhanizatsii No.10 Tresta "Mosstroymekhanizatsiya-5" Clarrogo stdelaniya po zhilishchnomu i grazhdanskomu stroitel stvu v g. Noskve (for Ayzenberg).

ORESHIN, Mikhail Aleksandrovich, aspirant; SHERMAN, Abram Borlsovich; KASITSYNA, K.N., inzh., red.

[Manufacturing and assembling prefabricated units for farm buildings of arch and frame design] Izgotovlenie i montazh sbornykh detalei sel'skokhoziaistvennykh zdanii arochnoi i ramnoi konstruktsii. Moskva, Gosstroiizdat, 1961. 37 p. (MIRA 16:8)

l. Akademiya strcitel'stva i arkhitektury SSSR. Institut organizatsii, mekhanizatsii i tekhnicheakoy pomoshchi strcitel'stva. 2. Sektor organizatsii sel'skokhozyaystvennogo strcitel'stva Instituta organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi strcitel'stva Akademii strcitel'stva i arkhitektury SSSR (for Oreshin). 3. Glavnyy inzhener zavoda zhelezobetonnykh izdeliy tresta "Saratovoblstroy" (for Sherman). (Farm buildings) (Buildings, Prefabricated)

KOZAK, M.N., inzh.; POLOTSKAYA, G.M., inzh.; ROSLYAKOV, P.S.; PERFILOV, I.F., inzh., red.; KASITSYNA, K.N., inzh., red.

[Nondestructive test of concrete in structural elements; work practice of the Likhobory Combine of the Production Enterprises of the Construction and Assembly Trust of the Council of National Economy of the Moscow City Economic Region and the Magnitostroy Trust] Sposoby opredelenia prochnosti betona v konstruktsilakh bez ikh razrushenila; opyt Likhoborskogo kombinata proizvedstvennykh predpriatii tresta "Mosgorsovnarkhozstroi" i tresta "Magnitostroi." Moskva, Gosstroiizdat, 1962. 21 p. (MIRA 17:10)

1. Akademiya stroitel'stva i arkhitektury SSSR. Nauchnoissledovatel'skiy institut organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu. 2. Likhoborskiy kombinat proizvodstvennykh predpriyatiy Stroitel'nomontazhnogo tresta Soveta narodnogo khozyaystva Moskovskogo gorodskogo ekonomicheskogo rayona (for Kozak, Polotskaya). 3. TSentral'naya laboratoriya tresta "Magnitostroy" (for Roslyakov).

PILIPENKO, Viktor Ivanovich; SHEPELEV, Vasiliy Metod'yevich; KASITSYNA, K.N., inzh., red.

[Transporting reinforced concrete structural units by railroad; practice of the "Donbassenergostroi" Trust] Perevozka
zhelezobetonnykh konstruktsii zheleznodorozhnym transportom;
opyt tresta "Donbassenergostroi." Moskva, Gosstroiizdat,
1962. 38 p. (MIRA 16:8)

l. Akademiya stroitel'stva i arkhitektury SSSR. Institut organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu. 2. Glavnyy inzhener Kurakhovskogo zavoda zhelezobetonnykh konstruktsiy (for Pilipenko). 3. Zamestitel' glavnogo inzhenera tresta "Donbassenergostroy" (for Shepelev). (Reinforced concrete-- Transportation)

LEBEDEV, Yuriy Ivanovich, inzh.; KASITSYNA, K.N., inzh., red.

[Improving the mechanism nodes of the E-801 excavator; experience of L.P.Kurdiukov mechanic of the Trust of the Special State Office for the Mechanization of Construction Work] Usovershenstvovanie uzlov mekhanizmov ekskavatora E-801; opyt L.P.Kurdiukova, mashinista tresta "Stroimekhanizatsiia" (Novosibirsk). Moskva, Gosstroiizdat, 1963. 11 p. (MIRA 17:6)

1. Moscow. Nauchno-issledovatel'skiy institut organizatsii, mekhanizatsii i tekhnicheskoy pomoshchi stroitel'stvu.

2. Starshiy prepodavatel' Novosibirskogo inzhenerno-stroitel'-nogo instituta im. V.V.Kuybysheva (for Lebedev).